

Lista De Precios 2017



PRICELIST 2017



	Item-No	Model	Capacity	Readability	USD
Series 165 BJ	165-9327-050	BJ 100M	102 g	1 mg	1,191
	165-9422-050	BJ 410C	410 g	0.01 g	975
	165-9423-050	BJ 610C	610 g	0.01 g	1,046
	165-9425-050	BJ 1000C	1 020 g	0.01 g	1,119
	165-9436-050	BJ 1200C	1 200 g	0.01 g	1,184
	165-9451-050	BJ 2200C	2 200 g	0.01 g	1,256
	165-9513-050	BJ 2100D	2 100 g	0.1 g	936
	165-9514-050	BJ 4100D	4 100 g	0.1 g	975
	165-9515-050	BJ 6100D	6 100 g	0.1 g	1,046
	165-9518-050	BJ 8100D	8 100 g	0.1 g	1,119
	165-9603-050	BJ 6100G	6 100 g	1 g	936
	165-9604-050	BJ 12100G	12 100 g	1 g	975

	Item-No BJ	Item	USD
Series 165 BJ ACCESSORIES	350-8591	Set for EC / OIML verification, fitted at factory, not verified, available only for balances with EC (/OIML) Type approval	175
	350-8632	Density determination	175
	350-8561	Hook for weighing below the balance	75
	350-8534	Cable for balance 165 used as reference balance	125
	350-8662	External UPS accu power pack, for continuous operation	1,024
	350-8598	Dust cover 165 for the whole balance, set of 20 pieces	258

PRICELIST 2017



	Item-No	Model	Capacity	Readability	USD
Series 260 BC IC	260-9343-002	BC 220M IC	220 g	1 mg	1,386
	260-9467-002	BC 3200C IC	3200 g	0.01 g	1,510
Series 260 BC	260-9343-001	BC 220M	220 g	1 mg	1,164
	260-9467-001	BC 3200C	3200 g	0.01 g	1,281

	Item-No BC	Item	USD
Series 260 BC ACCESSORIES	350-8921	Set for EC / OIML verification, fitted at factory, not verified, available only for balances with EC (/OIML) Type approval	174
	350-8922	EC-Verification according to 2009/23/ECC by Precisa (initial verification) available only for balances with EC (/ OIML) Type approval and SCS	417
	350-8925	Hook for weighing below the balance 220M and Carat type balances	75
	350-8926	Hook for weighing below the balance 3200C type balances	75

PRICELIST 2017



	Item-No	Model	Capacity	Readability	USD
Series 320 XB ^{BB}	320-9203X-003	XB^{BB} 120A	120 g	0.1 mg	3,029
	320-9204X-003	XB^{BB} 220A	220 g	0.1 mg	3,415
	320-9307X-003	XB^{BB} 320M	320 g	1 mg	2,519
	320-9308X-003	XB^{BB} 620M	620 g	1 mg	2,905
	320-9409X-003	XB^{BB} 2200C	2 200 g	0.01 g	2,394
	320-9412X-003	XB^{BB} 3200C	3 200 g	0.01 g	2,519
	320-9410X-003	XB^{BB} 4200C	4 200 g	0.01 g	2,650
	320-9413X-003	XB^{BB} 6200C	6 200 g	0.01 g	3,029
	320-9506X-003	XB^{BB} 3200D	3 200 g	0.1 g	2,139
	320-9507X-003	XB^{BB} 6200D	6 200 g	0.1 g	2,264

	Item-No	Item	USD
Series 320 XB ^{BB} ACCESSORIES	350-7402	*adapter for 1mg, 0.01g, 0.1g and 1g balances	17
	320-8504	Draft shield mg, glass with cover	158
	350-8527	Hook for weighing below the balance	50
	350-8534	Cable for balance 320 used as reference balance	125
	350-8662	External USV accu power pack, for continuous operation	1,024
	350-8372	Power supply / Adapter with Euro plug for balances with IP65 protection (80V - 240V)	275
	350-8636	Density kit for 0.01mg and 0.1mg balances Container size Ø= 75mm, h= 100mm	1,007
	350-8637	Density kit solids only (w/o Glass body and Hook) for 0.01mg and 0.1mg balances Container size Ø= 75mm, h= 100mm	666
	350-7054	Glass body 10ccm for density determination of liquids	400
	350-7194	Downholder for samples with density < 1 g/cm ³	150
	350-8633	Evaporation trap for pipette calibration complete, for 0.01mg and 0.1mg balances	4,096
	350-8634	Adapter to assemble Eppendorf Humidity Trap, for 0.01mg and 0.1mg balances	1,024
	350-8550	Animal weighing bowl complete for 0.01g balances	258
	350-8551	Animal weighing bowl complete for 0.1g and 1g balances	258
	350-8589	Dust cover 320 for the whole balance, set of 20 pieces	416
	350-8590	Dust cover 320 over display, set of 20 pieces	341
	350-4097	Night cover 320 for balance without draft shield	42
	350-4107	Night cover 320 for balance with draft shield	42

PRICELIST 2017



	Item-No	Model	Capacity	Readability
Series 321 LT	321-9252-001	LT 120A SCS	120 g	0.1 mg
	321-9253-001	LT 220A SCS	220 g	0.1 mg
	321-9254-001	LT 320A SCS	320 g	0.1 mg
	321-9373-001	LT 160M SCS	160 g	1 mg
	321-9374-001	LT 320M SCS	320 g	1 mg
	321-9375-001	LT 620M SCS	620 g	1 mg
	321-9376-001	LT 920M SCS	920 g	1 mg
	321-9377-001	LT 1220M SCS	1 220 g	1 mg
	321-9470-001	LT 320C SCS	320 g	0.01 g
	321-9471-001	LT 620C SCS	620 g	0.01 g
	321-9472-001	LT 1200C SCS	1 200 g	0.01 g
	321-9473-001	LT 2200C SCS	2 200 g	0.01 g
	321-9474-001	LT 3200C SCS	3 200 g	0.01 g
	321-9475-001	LT 4200C SCS	4 200 g	0.01 g
	321-9476-001	LT 6200C SCS	6 200 g	0.01 g
	321-9555-001	LT 3200D SCS	3 200 g	0.1 g
	321-9556-001	LT 6200D SCS	6 200 g	0.1 g
	321-9557-001	LT 10200D SCS	10 200 g	0.1 g
	321-9617-001	LT 10200G SCS	10 200 g	1 g
Series 321 LX SCS	321-9246-001	LX 120A SCS	120 g	0.1 mg
	321-9247-001	LX 220A SCS	220 g	0.1 mg
	321-9248-001	LX 320A SCS	320 g	0.1 mg
	321-9361-001	LX 320M SCS	320 g	1 mg
	321-9361-001	LX 620M SCS	620 g	1 mg
	321-9363-001	LX 920M SCS	920 g	1 mg
	321-9364-001	LX 1220M SCS	1 220 g	1 mg
	321-9452-001	LX 620C SCS	620 g	0.01 g
	321-9453-001	LX 1200C SCS	1 200 g	0.01 g
	321-9454-001	LX 2200C SCS	2 200 g	0.01 g
	321-9456-001	LX 4200C SCS	4 200 g	0.01 g
	321-9457-001	LX 6200C SCS	6 200 g	0.01 g
	321-9547-001	LX 3200D SCS	3 200 g	0.1 g
	321-9548-001	LX 6200D SCS	6 200 g	0.1 g
	321-9549-001	LX 10200D SCS	10 200 g	0.1 g
	321-9615-001	LX 10200G SCS	10 200 g	1 g
Series 321 LX	321-9246-002	LX 120A	120 g	0.1 mg
	321-9247-002	LX 220A	220 g	0.1 mg
	321-9248-002	LX 320A	320 g	0.1 mg
	321-9361-002	LX 320M	320 g	1 mg
	321-9362-002	LX 620M	620 g	1 mg
	321-9363-002	LX 920M	920 g	1 mg
	321-9364-002	LX 1220M	1 220 g	1 mg
	321-9452-002	LX 620C	620 g	0.01 g
	321-9453-002	LX 1200C	1 200 g	0.01 g
	321-9454-002	LX 2200C	2 200 g	0.01 g
	321-9456-002	LX 4200C	4 200 g	0.01 g
	321-9457-002	LX 6200C	6 200 g	0.01 g
	321-9547-002	LX 3200D	3 200 g	0.1 g
	321-9548-002	LX 6200D	6 200 g	0.1 g

PRICELIST 2017



	321-9549-002	LX 10200D	10 200 g	0.1 g
	321-9615-002	LX 10200G	10 200 g	1 g

	Item-No	Model	Capacity	Readability
Series 321 LS SCS	321-9249-001	LS 120A SCS	120 g	0.1 mg
	321-9250-001	LS 220A SCS	220 g	0.1 mg
	321-9251-001	LS 320A SCS	320 g	0.1 mg
	321-9365-001	LS 160M SCS	160 g	1 mg
	321-9366-001	LS 320M SCS	320 g	1 mg
	321-9367-001	LS 620M SCS	620 g	1 mg
	321-9368-001	LS 920M SCS	920 g	1 mg
	321-9369-001	LS 1220M SCS	1 220 g	1 mg
	321-9466-001	LS 320C SCS	320 g	0.01 g
	321-9459-001	LS 620C SCS	620 g	0.01 g
	321-9460-001	LS 1200C SCS	1 200 g	0.01 g
	321-9461-001	LS 2200C SCS	2 200 g	0.01 g
	321-9462-001	LS 3200C SCS	3 200 g	0.01 g
	321-9463-001	LS 4200C SCS	4 200 g	0.01 g
	321-9464-001	LS 6200C SCS	6 200 g	0.01 g
	321-9550-001	LS 3200D SCS	3 200 g	0.1 g
	321-9551-001	LS 6200D SCS	6 200 g	0.1 g
	321-9552-001	LS 10200D SCS	10 200 g	0.1 g
	321-9616-001	LS 10200G SCS	10 200 g	1 g
Series 321 LS	321-9249-002	LS 120A	120 g	0.1 mg
	321-9250-002	LS 220A	220 g	0.1 mg
	321-9251-002	LS 320A	320 g	0.1 mg
	321-9365-002	LS 160M	160 g	1 mg
	321-9366-002	LS 320M	320 g	1 mg
	321-9367-002	LS 620M	620 g	1 mg
	321-9368-002	LS 920M	920 g	1 mg
	321-9369-002	LS 1220M	1 220 g	1 mg
	321-9466-002	LS 320C	320 g	0.01 g
	321-9459-002	LS 620C	620 g	0.01 g
	321-9460-002	LS 1200C	1 200 g	0.01 g
	321-9461-002	LS 2200C	2 200 g	0.01 g
	321-9462-002	LS 3200C	3 200 g	0.01 g
	321-9463-002	LS 4200C	4 200 g	0.01 g
	321-9464-002	LS 6200C	6 200 g	0.01 g
	321-9550-002	LS 3200D	3 200 g	0.1 g
	321-9551-002	LS 6200D	6 200 g	0.1 g
	321-9552-002	LS 10200D	10 200 g	0.1 g
	321-9616-002	LS 10200G	10 200 g	1 g

	Item-No LT/LS	Item-No LX	Item
	350-8684	350-8684	Set for EC / OIML verification, fitted at factory, not verified, available only for balances with EC (/ OIML) Type approval
	350-8685	350-8685	EC-Verification according to 2009/23/ECC by Precisa (initial verification) available only for balances with EC (/ OIML) Type approval and SCS

PRICELIST 2017



Series 321 LT/LX/LS ACCESSORIES	LT: standard LS: available	available	SCS: Self Calibration System with clock, automatic on temperature change and and real-time programmable
	350-8695	350-8695	Protection IP65: protection against ingress of dust and low pressure water jets, fitted at factory, not all types available
	standard	350-8519	Draft shield 320 XB, height 260mm, requires adapter for 1mg, 0.01g, 0.1g and 1g balances*
	350-7402	350-7402	*adapter for 1mg, 0.01g, 0.1g and 1g balances
	320-8504	320-8504	Draft shield mg, glass with cover
	350-8814	350-8814	Foot pedal for tare or print function
	350-8527	350-8527	Hook for weighing below the balance
	350-8661	350-8661	Cable for balance 360 or 321 used as reference balance
	350-8662	350-8662	External USV accu power pack, for continuous operation
	350-8372	350-8372	Power supply / Adapter with Euro plug for balances with IP65 protection (80V - 240V)
	350-8636	350-8636	Density kit for 0.01mg and 0.1mg balances Container size Ø= 75mm, h= 100mm
	350-8637	350-8637	Density kit solids only (w/o Glass body and Hook) for 0.01mg and 0.1mg balances Container size Ø= 75mm, h= 100mm
	350-7054	350-7054	Glass body 10ccm for density determination of liquids
	350-7194	350-7194	Downholder for samples with density < 1 g/cm³
	350-8633	350-8633	Evaporation trap for pipette calibration complete, for 0.01mg and 0.1mg balances
	350-8634	350-8634	Adapter to assemble Eppendorf Humidity Trap, for 0.01mg and 0.1mg balances
	350-8551	350-8551	Animal weighing bowl complete for 0.01g balances
	350-8551	350-8551	Animal weighing bowl complete for 0.1g and 1g balances
	350-8686	350-8686	Dust cover 321 for the whole balance, set of 20 pieces

PRICELIST 2017



	Item-No	Model	Capacity	Readability	USD
Series 330 XM Moisture Analyzers HALOGEN 230 V	365-9245-001	EM 120-HR	124 g	0.1 mg / 0.001 %	5,332
	330-9329B-001	XM ^{BB} 66	310 g	1 mg / 0.01 %	4,396
	330-9243B-001	XM ^{BB} 60-HR	124 g	0.1 mg / 0.001 %	4,736
	330-9324B-001	XM ^{BB} 60	124 g	1 mg / 0.01 %	4,174
	335-9360-001	XM 50	52 g	1 mg / 0.01 %	3,677
Series 330 XM Moisture Analyzers HALOGEN 115 V	365-9245-002	EM 120-HR	124 g	0.1 mg / 0.001 %	5,332
	330-9329B-002	XM ^{BB} 66	310 g	1 mg / 0.01 %	4,396
	330-9243B-002	XM ^{BB} 60-HR	124 g	0.1 mg / 0.001 %	4,736
	330-9324B-002	XM ^{BB} 60	124 g	1 mg / 0.01 %	4,174
	335-9360-002	XM 50	52 g	1 mg / 0.01 %	3,677
Series 330 XM Moisture Analyzers INFRARED 230 V	365-9245-003	EM 120-HR	124 g	0.1 mg / 0.001 %	5,332
	330-9329B-003	XM ^{BB} 66	310 g	1 mg / 0.01 %	4,396
	330-9243B-003	XM ^{BB} 60-HR	124 g	0.1 mg / 0.001 %	4,736
	330-9324B-003	XM ^{BB} 60	124 g	1 mg / 0.01 %	4,174
	335-9360-003	XM 50	52 g	1 mg / 0.01 %	3,677
Series 330 XM Moisture Analyzers INFRARED 115 V	365-9245-004	EM 120-HR	124 g	0.1 mg / 0.001 %	5,332
	330-9329B-004	XM ^{BB} 66	310 g	1 mg / 0.01 %	4,396
	330-9243B-004	XM ^{BB} 60-HR	124 g	0.1 mg / 0.001 %	4,736
	330-9324B-004	XM ^{BB} 60	124 g	1 mg / 0.01 %	4,174
	335-9360-004	XM 50	52 g	1 mg / 0.01 %	3,677
Series 330 XM Moisture Analyzers DARK RADIATOR 230 V	365-9245-007	EM 120-HR	124 g	0.1 mg / 0.001 %	5,332
	330-9329B-007	XM ^{BB} 66	310 g	1 mg / 0.01 %	4,396
	330-9243B-007	XM ^{BB} 60-HR	124 g	0.1 mg / 0.001 %	4,736
	330-9324B-007	XM ^{BB} 60	124 g	1 mg / 0.01 %	4,174
	335-9360-007	XM 50	52 g	1 mg / 0.01 %	3,677
Series 330 XM Moisture Analyzers DARK RADIATOR 115V	365-9245-008	EM 120-HR	124 g	0.1 mg / 0.001 %	5,332
	330-9329B-008	XM ^{BB} 66	310 g	1 mg / 0.01 %	4,396
	330-9243B-008	XM ^{BB} 60-HR	124 g	0.1 mg / 0.001 %	4,736
	330-9324B-008	XM ^{BB} 60	124 g	1 mg / 0.01 %	4,174
	335-9360-008	XM 50	52 g	1 mg / 0.01 %	3,677

	Item-No EM 120-HR	Item-No XM ^{BB} 60-HR/XM ^{BB} 60/ XM ^{BB} 66/XM50	Item	USD
Series 330 XM Moisture Analyzers ACCESSORIES	350-2032	350-2032	Aluminum dishes, Ø 100mm, (box with 80pcs.)	92
	350-4130	350-4130	Fibreglass-filters, Ø 90mm, (box with 80pcs)	191
	350-8580	350-8580	Temperature sensor plate (Sensor - type K)	599
	350-8585	350-8585	Temperature calibration set (Senosr - type K) with certificate	2,048
	350-8584	350-8584	Temperature calibration set (Senosr - type K) without certificate	1,199
	330-2018	330-2018	Stainless steel dish, reusable, Ø 100mm, (1pcs.)	125
	350-8241	350-8241	Calibration weight, 50 g, E2	158
	-	350-8590	Dust cover 320 over display, set of 20 pieces	341
	350-8687	350-8687	XM dust fillter complete	125
	350-8665	-	USB Host	516
	350-8666	-	Ethernet wired	1,199
	350-8667	-	Ethernet wireless	1,365
	350-8668	-	Bluetooth	1,199
	350-8670	-	PS 2 Female & RS 232 DB9 Female	341

PRICELIST 2017



	Item-No	Model	Capacity	Readability	USD
Series 340 prepASH	340-9220-002	prepASH 229	120 g	0.1 mg / 0.01 ‰	98,308
	340-9221-002	prepASH 219	120 g	0.1 mg / 0.01 ‰	89,977
	340-9222-002	prepASH 212	120 g	0.1 mg / 0.01 ‰	89,977

	Item-No prepASH 229/219	Item-No prepASH 212	Item	USD
Series 340 prepASH ACCESSORIES	340-8502	340-8502	3 inputs gas flow control unit for N2, O2 and air	3,072
	340-9010	340-9010	prepSTATION including balance and data cable	11,782
	340-9001	340-9001	Condensation-Absorption-Unit Büchi Scrubber K-415 Acid scrubber module for e.g. sulfuric acid	13,322
	340-9002	340-9002	Condensation-Absorption-Connection-Set	1,283
	340-8504	340-8504	ECD: Enhanced Cooling Device	5,321
	350-8697	350-8697	ECD: Enhanced Cooling Device conversion set	5,852
	PN 3950-099	PN 3950-099	Crucible-tweezers	67
	340-7090	340-7090	Crucible-tweezers for crucible-lid handling	500
	340-8012	340-8012	Sample tray holder	1,798
	340-4065	-	Turn-table for 29/19 samples, "Volatiles" for prepASH 229 and prepASH 219	1,283
	340-4072	340-4072	Turn-table for 12 samples, SiC for prepASH 229, prepASH 219 and prepASH 212	1,283
	340-8030	340-8030	Crucible, silicate ceramic, set of 5 pieces use with turn-table 29/19	174
	340-8031	340-8031	Crucible, Al2O3, 5 pieces use with turn-table 29/19	392
	340-8032	340-8032	Crucible for use with lid Al2O3, set of 5 pieces use with turn-table 29/19 and crucible-lid 340-8033	292
	340-8033	340-8033	Crucible-lid, Al2O3, set of 5 pieces use with turn-table 29/19 and crucible 340-8032	141
	340-8034	340-8034	Standard Crucible, silicate ceramic, set of 5 pieces use only with turn-table 12 and adapter 340-8035	208
	340-8036	340-8036	Crucible 50ml, Al2O3, set of 5 pieces use only with turn-table 12 and adapter 340-8035	539
	340-8035	340-8035	Adapter for standard crucible, silicate ceramic, set of 5 pieces use only with turn-table 12 and standard crucible 340- 8034, 340-8036 or other crucible available from the market	208

PRICELIST 2017



	Item-No	Model	Capacity	Readability
Series 360 EP	360-9100-001	EP 125SM	125 g	0.01 mg
	360-9101-001	EP 225SM-DR	102 g / 225 g	0.01 mg / 0.1 mg
	360-9231-001	EP 120A	120 g	0.1 mg
	360-9232-001	EP 220A	220 g	0.1 mg
	360-9233-001	EP 320A	320 g	0.1 mg
	360-9234-001	EP 420A	420 g	0.1 mg
	360-9236-001	EP 520A	520 g	0.1 mg
	360-9235-001	EP 420A-FR	120 g - 420 g	0.1 mg / 1 mg
	360-9345-001	EP 320M	320 g	1 mg
	360-9346-001	EP 620M	620 g	1 mg
	360-9347-001	EP 920M	920 g	1 mg
	360-9348-001	EP 1220M	1 220 g	1 mg
	360-9351-001	EP 2220M	2 220 g	1 mg
	360-9349-001	EP 620M-FR	120 g - 620 g	1 mg / 10 mg
	360-9350-001	EP 1220M-FR	240 g - 1 220 g	1 mg / 10 mg
	360-9437-001	EP 1200C	1 200 g	0.01 g
	360-9438-001	EP 2200C	2 200 g	0.01 g
	360-9439-001	EP 4200C	4 200 g	0.01 g
	360-9440-001	EP 6200C	6 200 g	0.01 g
	360-9441-001	EP 8200C	8 200 g	0.01 g
	360-9442-001	EP 6200C-FR	2 200 g - 6 200 g	0.01 g / 0.1 g
	360-9443-001	EP 8200C-DR	3 200 g / 8 200 g	0.01 g / 0.1 g
	360-9534-001	EP 6200D	6200 g	0.1 g
	360-9535-001	EP 8200D	8 200 g	0.1 g
	360-9536-001	EP 12200D	12 200 g	0.1 g
	360-9613-001	EP 12200G	12 200 g	1 g
Series 360 ES	360-9102-001	ES 125SM	125 g	0.01 mg
	360-9103-001	ES 225SM-DR	102 g / 225 g	0.01 mg / 0.1 mg
	360-9237-001	ES 120A	120 g	0.1 mg
	360-9238-001	ES 220A	220 g	0.1 mg
	360-9239-001	ES 320A	320 g	0.1 mg
	360-9240-001	ES 420A	420 g	0.1 mg
	360-9242-001	ES 520A	520 g	0.1 mg
	360-9241-001	ES 420A-FR	120 g - 420 g	0.1 mg / 1 mg
	360-9352-001	ES 320M	320 g	1 mg
	360-9353-001	ES 620M	620 g	1 mg
	360-9354-001	ES 920M	920 g	1 mg
	360-9355-001	ES 1220M	1 220 g	1 mg
	360-9358-001	ES 2220M	2 220 g	1 mg
	360-9356-001	ES 620M-FR	120 g - 620 g	1 mg / 10 mg
	360-9357-001	ES 1220M-FR	240 g - 1 220 g	1 mg / 10 mg
	360-9444-001	ES 1200C	1 200 g	0.01 g
	360-9445-001	ES 2200C	2 200 g	0.01 g
	360-9446-001	ES 4200C	4 200 g	0.01 g
	360-9447-001	ES 6200C	6 200 g	0.01 g
	360-9448-001	ES 8200C	8 200 g	0.01 g
	360-9449-001	ES 6200C-FR	2 200 g - 6 200 g	0.01 g / 0.1 g
	360-9450-001	ES 8200C-DR	3 200 g / 8 200 g	0.01 g / 0.1 g
	360-9537-001	ES 6200D	6200 g	0.1 g
	360-9538-001	ES 8200D	8 200 g	0.1 g
	360-9539-001	ES 12200D	12 200 g	0.1 g
	360-9614-001	ES 12200G	12 200 g	1 g

Item-No EP	Item-No ES	Item
------------	------------	------

PRICELIST 2017



Series 360 EP/ES
ACCESSORIES

350-8671	350-8671	Set for EC / OIML verification, fitted at factory, not verified, available only for balances with EC (/ OIML) Type approval
350-8679	350-8679	EC-Verification according to 2009/23/ECC by Precisa (initial verification) available only for balances with EC (/ OIML) Type approval and SCS
350-8694	350-8694	Protection IP65: protection against ingress of dust and low pressure water jets, fitted at factory, not all types available
standard	350-8657	Draft shield 360 automatic, height 260mm, only for 0.01mg and 0.1mg balances
350-8659	standard	Draft shield 360 manual, height 260mm, only for 0.01mg and 0.1mg balances
350-8678	350-8678	Platform for draft shield 360
350-8519	350-8519	Draft shield 320 XB, height 260mm, requires adapter for 1mg, 0.01g, 0.1g and 1g balances*
350-7402	350-7402	*adapter for 1mg, 0.01g, 0.1g and 1g balances
320-8504	320-8504	Draft shield mg, glass with cover
350-8527	350-8527	Hook for weighing below the balance
350-8661	350-8661	Cable for balance 360 or 321 used as reference balance
350-8662	350-8662	External USV accu power pack, for continuous operation
350-8372	350-8372	Power supply / Adapter with Euro plug for balances with IP65 protection (80V - 240V)
350-8636	350-8636	Density kit for 0.01mg and 0.1mg balances Container size Ø= 75mm, h= 100mm
350-8637	350-8637	Density kit solids only (w/o Glass body and Hook) for 0.01mg and 0.1mg balances Container size Ø= 75mm, h= 100mm
350-7054	350-7054	Glass body 10ccm for density determination of liquids
350-7194	350-7194	Downholder for samples with density < 1 g/cm3
350-8633	350-8633	Evaporation trap for pipette calibration complete, for 0.01mg and 0.1mg balances
350-8634	350-8634	Adapter to assemble Eppendorf Humidity Trap, for 0.01mg and 0.1mg balances
350-8551	350-8551	Animal weighing bowl complete for 0.01g balances
350-8551	350-8551	Animal weighing bowl complete for 0.1g and 1g balances
350-8676	350-8676	Dust cover 360 for the whole balance, set of 20 pieces (SM, A balances)
350-8663	350-8663	Dust cover 360 for the whole balance, set of 20 pieces (M, C, D, G balances)
-	350-8664	Precisa BUS converter, enables connection to almost all Precisa BUS accessories
350-8665	-	USB Host
350-8666	-	Ethernet wired
350-8667	-	Ethernet wireless
350-8668	-	Bluetooth
350-8670	-	PS 2 Female & RS 232 DB9 Female

PRICELIST 2017

	Item-No		Model	Capacity	Readability	USD
Series 390 HF	390-9104-009		HF 125SM	125 g	0.01 mg	15,900
	390-9106-009		HF 125SM-FR	61 g / 125 g	0.01 mg / 0.1 mg	13,981
	390-9107-009		HF 225SM-DR	102 g / 225 g	0.01 mg / 0.1 mg	16,037
	390-9108-009		HF 225SM-FR	61 g / 125 g	0.01 mg / 0.1 mg	16,860
	390-9257-009		HF 120A	120 g	0.1 mg	12,885
	390-9258-009		HF 220A	220 g	0.1 mg	13,433
	390-9259-009		HF 320A*	320 g	0.1 mg	14,529
	390-9260-009		HF 520A*	520 g	0.1 mg	15,900
Series 390 HA	390-9104-003		HA 125SM	125 g	0.01 mg	12,610
	390-9106-003		HA 125SM-FR	61 g / 125 g	0.01 mg / 0.1 mg	10,691
	390-9107-003		HA 225SM-DR	102 g / 225 g	0.01 mg / 0.1 mg	12,748
	390-9108-003		HA 225SM-FR	61 g / 125 g	0.01 mg / 0.1 mg	13,570
	390-9257-003		HA 120A	120 g	0.1 mg	9,595
	390-9258-003		HA 220A	220 g	0.1 mg	10,143
	390-9259-003		HA 320A*	320 g	0.1 mg	11,240
	390-9260-003		HA 520A*	520 g	0.1 mg	12,610
Series 390 HE	390-9104-002		HE 125SM	125 g	0.01 mg	11,240
	390-9106-002		HE 125SM-FR	61 g / 125 g	0.01 mg / 0.1 mg	9,321
	390-9107-002		HE 225SM-DR	102 g / 225 g	0.01 mg / 0.1 mg	11,377
	390-9108-002		HE 225SM-FR	61 g / 125 g	0.01 mg / 0.1 mg	12,199
	390-9257-002		HE 120A	120 g	0.1 mg	8,498
	390-9258-002		HE 220A	220 g	0.1 mg	9,047
	390-9259-002		HE 320A*	320 g	0.1 mg	10,143
	390-9260-002		HE 520A*	520 g	0.1 mg	11,514
Series 390 HM	390-9104-001		HM 125SM	125 g	0.01 mg	10,143
	390-9106-001		HM 125SM-FR	61 g / 125 g	0.01 mg / 0.1 mg	8,224
	390-9107-001		HM 225SM-DR	102 g / 225 g	0.01 mg / 0.1 mg	10,280
	390-9108-001		HM 225SM-FR	61 g / 125 g	0.01 mg / 0.1 mg	11,103
	390-9257-001		HM 120A	120 g	0.1 mg	7,676
	390-9258-001		HM 220A	220 g	0.1 mg	8,224
	390-9259-001		HM 320A*	320 g	0.1 mg	9,321
	390-9260-001		HM 520A*	520 g	0.1 mg	10,691

*available from February 2017

	Item-No HF	Item-No HA	Item- No HE	Item	USD
Series 390 H_ACCESSORIES	350-8929	350-8929	350-8929	Set for EC / OIML verification, fitted at factory, not verified, available only for balances with EC (/ OIML) Type approval	175
	350-8930	350-8930	350-8930	EC-Verification according to 2009/23/ECC by Precisa (initial verification) available only for balances with EC (/ OIML) Type approval and SCS	416
	included	included	350-8047	TLS Touch Less Sensor	698
	included	390-8500-000	0-8500-0	ECS + AOS	4,710
	included	390-8500-001	0-8500-0	ECS Electrostatic Cancellation System	3,489
	included	390-8500-002	0-8500-0	AOS Ambient Observation System	1,745
	390-8501-001	390-8501-001	0-8501-0	Extension cable Ethernet only	262
	390-8501-002	390-8501-002	0-8501-0	Extension cable USB host (type A) only	262
	390-8501-003	390-8501-003	0-8501-0	Extension cable USB device (type B) only	262
	390-8501-004	390-8501-004	0-8501-0	Extension cable USB host double (2 type A) only	488
	390-8501-021	390-8501-021	0-8501-0	Extension cable Ethernet + USB host (type A)	488
	390-8501-031	390-8501-031	0-8501-0	Extension cable Ethernet + USB device (type B)	488
	390-8501-041	390-8501-041	0-8501-0	Extension cable Ethernet + USB host double (2 type A)	698
	390-8501-022	390-8501-022	0-8501-0	Extension cable USB host (type A) + USB host (type A)	488
	390-8501-032	390-8501-032	0-8501-0	Extension cable USB host (type A) + USB device (type B)	488
	390-8501-043	390-8501-043	0-8501-0	Extension cable USB device (type B) + USB host double (2 type A)	698
	350-8527	350-8527	350-8527	Hook for weighing below the balance	51
	350-8661	350-8661	350-8661	Cable for balance used as reference balance	125
	350-8898	350-8898	350-8898	Demo carriage case	2,791

PRICELIST 2017



	Item-No	Model	Capacity	Readability	USD
Series 410 SRS / SRC	410-9900-001	SRS 75K	75 kg	5 g	1,059
	410-9901-001	SRS 150K	150 kg	10 g	1,197
	410-9902-001	SRS 300K	300 kg	20 g	1,328
	410-9910-001	SRC 75K	75 kg	5 g	1,328
	410-9911-001	SRC 150K	150 kg	10 g	1,734
Series 410 TERMINALS	410-9920-001	SRM ABS			523
	410-9921-001	SRM SST			792
	410-9922-001	SRD ABS			661
	410-9923-001	SRD SST			929

	Item-No SRD SST/SRM SST	Item-No SRD ABS/SRM ABS	Item	USD
Series 410 ACCESSORIES	350-8680	350-8680	Set for EC / OIML verification, fitted at factory, not verified, available only for terminals with EC (/ OIML) Type approval	175
	-	350-8626	Wall bracket for display ABS	158
	350-8629	-	Post for rear mounted display SST to platform SRC	341
	-	350-8627	Post for rear mounted display ABS to platform SRS	341

PRICELIST 2017



	Item-No	Model	Capacity	Readability	USD
Series 420 IM	420-9255-001	IM 220A	220 g	0.1 mg	4,505
	420-9256-001	IM 420A	420 g	0.1 mg	4,810
	420-9378-001	IM 1220M	1 220 g	1 mg	5,483
	420-9477-001	IM 6200C	6 200 g	0.01 g	4,505

PRICELIST 2017



	Item-No	Model	Capacity	Readability	USD
Series 490 IBK	490-9528-001	IBK 12000D	12 100 g	0.1 g	5,214
	490-9529-001	IBK 18000D	18 100 g	0.1 g	5,565
	490-9530-001	IBK 24000D	24 100 g	0.1 g	6,197
	490-9531-001	IBK 34000D	34 100 g*	0.1 g	6,903
	490-9805-001	IBK 34000D-DR	12 100 g / 34 100 g*	0.1 g / 1 g	5,565
	490-9532-001	IBK 34000D-FR	12 100 g - 34 100 g*	0.1 g / 1 g	5,914
	490-9606-001	IBK 20000G	20 100 g	1 g	4,787
	490-9607-001	IBK 30000G	30 100 g	1 g	5,214
	490-9608-001	IBK 40000G	40 100 g	1 g	5,495
	490-9609-001	IBK 60000G	60 100 g	1 g	6,197
Series 490 ITK	490-9528-002	ITK 12000D	12 100 g	0.1 g	5,626
	490-9529-002	ITK 18000D	18 100 g	0.1 g	5,976
	490-9530-002	ITK 24000D	24 100 g	0.1 g	6,609
	490-9531-002	ITK 34000D	34 100 g*	0.1 g	7,316
	490-9805-002	ITK 34000D-DR	12 100 g / 34 100 g*	0.1 g / 1 g	5,976
	490-9532-002	ITK 34000D-FR	12 100 g - 34 100 g*	0.1 g / 1 g	6,326
	490-9606-002	ITK 20000G	20 100 g	1 g	5,200
	490-9607-002	ITK 30000G	30 100 g	1 g	5,626
	490-9608-002	ITK 40000G	40 100 g	1 g	5,908
	490-9609-002	ITK 60000G	60 100 g	1 g	6,609
Series 490 ISK Count	490-9528-003	ISK Count 12000D	12 100 g	0.1 g	6,191
	490-9529-003	ISK Count 18000D	18 100 g	0.1 g	6,541
	490-9530-003	ISK Count 24000D	24 100 g	0.1 g	7,173
	490-9531-003	ISK Count 34000D	34 100 g*	0.1 g	7,879
	490-9805-003	ISK Count 34000D-DR	12 100 g / 34 100 g*	0.1 g / 1 g	6,541
	490-9532-003	ISK Count 34000D-FR	12 100 g - 34 100 g*	0.1 g / 1 g	6,890
	490-9606-003	ISK Count 20000G	20 100 g	1 g	5,763
	490-9607-003	ISK Count 30000G	30 100 g	1 g	6,191
	490-9608-003	ISK Count 40000G	40 100 g	1 g	6,471
	490-9609-003	ISK Count 60000G	60 100 g	1 g	7,173
Series 490 ISK FPVO	490-9528-004	ISK FPVO 12000D	12 100 g	0.1 g	6,191
	490-9529-004	ISK FPVO 18000D	18 100 g	0.1 g	6,541
	490-9530-004	ISK FPVO 24000D	24 100 g	0.1 g	7,173
	490-9531-004	ISK FPVO 34000D	34 100 g*	0.1 g	7,879
	490-9805-004	ISK FPVO 34000D-DR	12 100 g / 34 100 g*	0.1 g / 1 g	6,541
	490-9532-004	ISK FPVO 34000D-FR	12 100 g - 34 100 g*	0.1 g / 1 g	6,890
	490-9606-004	ISK FPVO 20000G	20 100 g	1 g	5,763
	490-9607-004	ISK FPVO 30000G	30 100 g	1 g	6,191
	490-9608-004	ISK FPVO 40000G	40 100 g	1 g	6,471
	490-9609-004	ISK FPVO 60000G	60 100 g	1 g	7,173

*approved max. 30 100 g

	Item-No IBK/ITK/ISK	Item	USD
Series 490 IBK/ITK/ISK ACCESSORIES	350-8577	Set for EC / OIML verification, fitted at factory, not verified, available only for balances with EC (/ OIML) Type approval	174
	350-8578	EC-Verification according to 90/384/ECC by Precisa (initial verification) available only for balances with EC (/ OIML) Type approval	417
	350-8646	Protection IP65: protection against ingress of dust and low pressure water jets, fitted at factory	1,365
	350-8654	Wall bracket for display	308
	350-8655	Post for rear mounted display	550
	350-8586-030	Connection-cable indicator to platform, length 3m	141
	350-8586-055	Connection-cable indicator to platform, length 5.5m	174
	350-8586-100	Connection-cable indicator to platform, length 10m	241
	350-8630	Below the balance weighing feature up to 40kg	325
	350-8635	Below the balance weighing feature IP65 version up to 40kg	566
	350-8662	External USV accu power pack, for continuous operation	1,025
	350-8599	Dust cover for indicator, set of 20 pieces	341

PRICELIST 2017



	Item-No	Model	Capacity	Readability	USD
Carat Balances	321-9371-002	LS 600M-C	600 ct / 120 g	0.001 ct / 0.001 g	3,215
	321-9372-002	LS 1100M-C	1 100 ct / 220 g	0.001 ct / 0.001 g	3,620
	321-9469-002	LS 3100C-C	3 100 ct / 620 g	0.01 ct / 0.01 g	2,673
	260-9359-001	BC 600M-C	600 ct / 120 g	0.001 ct / 0.001 g	1,593
	260-9468-001	BC 1600C-C	1600 ct / 320 g	0.01 ct / 0.01 g	1,433

	Item-No	Model	Capacity	Readability	USD
Stirrer Balances	321-9456-801	LX 4200C-STB	4 200 g	0.01 g	6,254
	321-9461-801	LS 2200C-STB	6 200 g	0.01 g	5,712
	321-9463-801	LS 4200C-STB	4 200 g	0.01 g	6,085

	Item-No	Model	USD
DC Ionizer Stat-FAN	350-8682-001	Stat-FAN 110/230 V EU	2,082
	350-8682-002	Stat-FAN 110/230 V UK	2,082
	350-8682-003	Stat-FAN 110/230 V AUS	2,082
	350-8682-004	Stat-FAN 110/230 V US	2,082
DC Ionizer Stat-PEN	350-8683-001	Stat-PEN 110/230 V EU	1,916
	350-8683-002	Stat-PEN 110/230 V UK	1,916
	350-8683-003	Stat-PEN 110/230 V AUS	1,916
	350-8683-004	Stat-PEN 110/230 V US	1,916

PRICELIST 2017



	Item	390 H_	360 EP	EM 120-HR	330 XM	490 IBK/ITK/ISK	410 SRD/SRM	USD
Common Accessories	Printer CBM910 230V - with cable and paper roll	350-8379	350-8363	350-8379	350-8363	350-8363	350-8381	1,798
	Printer CBM910 115V - with cable and paper roll	350-8380	350-8370	350-8380	350-8370	350-8370	350-8382	1,798
	Paper roll for Printer CMB910	350-8366	350-8366	350-8366	350-8366	350-8366	350-8366	17
	Ribbon for Printer CBM910	350-8367	350-8367	350-8367	350-8367	350-8367	350-8367	50
	Multiplexor for up to 7 balances of Series 165, 320, 321, 360, 390 and 490 for serial (RS232) data transmission to PC or Printer (at least one balance must be a series 320 or Series 321)		350-8513	350-8513	350-8513	350-8513	-	683
	Data cable RJ45 / 0.75m	-	350-8525	-	350-8525	350-8525	-	92
	Data cable RJ45 / 1.5m	-	350-8520	-	350-8520	350-8520	-	108
	Data cable RJ45 / 3m	-	350-8521	-	350-8521	350-8521	-	142
	Adapter RJ45 / DB9 Female (PC)	350-8522	350-8522	350-8522	350-8522	350-8522	350-8522	108
	Adapter RJ45 / DB25 Male (Printer)	350-8524	350-8524	350-8524	350-8524	350-8524	350-8524	108
	Data cable RJ45 / DB9 Female 1.5m (PC)	-	350-8557	-	350-8557	350-8557	-	225
	Data cable RJ45 / DB25 Female 1.5m (Printer)	-	350-8559	-	350-8559	350-8559	-	225
	Data cable DB9 Male / DB9 Female 1.5m (PC)	350-8672	350-8672	350-8672	-	-	-	225
	Data cable DB9 Male / DB25 Male 1.5m (Printer)	350-8673	350-8673	350-8673	-	-	-	225
	Data cable DB9 Female / DB9 Female 1.5m (PC)	-	-	-	-	-	350-8674	225
	Data cable DB9 Female / DB25 Male 1.5m (Printer)	-	-	-	-	-	350-8675	225
	USB cable A-B 1.5m	PN 3950-125		PN 3950-125				17
	HID-Interface (Index -x00 is country specific)	350-8816-x00	-	-	-	on demand	-	500
	External USV accu power pack, for continuous operation	350-8662	350-8662	350-8662	350-8662	350-8662	350-8662	1,024
	Anti-theft device	-	350-8555	350-8555	350-8555	350-8555	-	92
	Diamond weighing pan	350-8322	350-8322	-	-	350-8322	-	84
Precisa BUS Accessories	Remote / secondary display free-standing with cable 1.5m	-	-	-	350-8504	350-8504	-	758
	Remote / secondary display mounted to the balance	-	-	-	-	-	-	824
	Remote / secondary display mounted to the wall with cable 3m	-	-	-	350-8516	350-8516	-	824
	Interface RS232 for data transmission: - to PC, Printer or Barcode-Printer - from Barcode-Reader (350-8856) or Reference-Balance	-	-	-	350-8506	350-8506	-	416
	Interface 20mA current loop passive	-	-	-	350-8526	350-8526	-	416
	Analog output -10V... +10V (Resolution 10mV)	-	-	-	350-8508	350-8508	-	683
	Ethernet Interface, Wired	-	-	-	350-8573	350-8573	-	858
	Ethernet Interface, Wireless	-	-	-	350-8588	350-8588	-	1,365
	Signal Lamp, indicator with 3 lamps, green / red / yellow	on demand	on demand	-	350-8510	350-8510	-	1,707
	Horn for Signal Lamp	350-8533	350-8533	-	350-8533	350-8533	-	324
	Input / Output module with 6 TTL Inputs / 8 Relay Outputs	on demand	on demand	-	350-8509	350-8509	-	616
	CCE-Bar code scanner BCS5040 with push button and plug to be connected to the Interface RS232 350-8506 (Connector DB25)	-	-	-	350-8856	350-8856	-	2,223
SmartBox® Applications	SmartBox® Counting	-	-	-	-	350-8511-011 (in ISK Count incl.)	-	1,024
	SmartBox® Finished Goods Packing Control, FPVO	-	-	-	-	350-8511-012 (in ISK FPVO incl.)	-	1,024
	CCE-Bar code scanner BCS5040 with push button and plug to be connected to the SmartBox® (Connector RJ45)	-	-	-	-	350-8531	-	2,223